

TRESPA® TOPLAB®

SCIENTIFIC SURFACE SOLUTIONS



**SOLUTIONS
FOR YOUR
CLEANROOM**

TRESPA®



TopLab®*PLUS* and TopLab®*VERTICAL* solutions in cleanrooms and other high-demanding applications.


TRESPA® TOPLAB® FOR CLEANROOMS

TRESPA HAS DEVELOPED THE NEXT GENERATION OF ITS ELECTRON BEAM CURING (EBC) TECHNOLOGY INHOUSE, PROVIDING PRODUCTS WITH A GREAT PERFORMANCE IN TERMS OF DURABILITY AND CLEANABILITY.

Trespa® TopLab®*VERTICAL* and TopLab®*PLUS*, your choice for demanding interior applications. Products from a company being in the business for 60 years!

Countless projects around the world are proof of reliability in performance when used in high demanding applications (e.g. hygiene, design, disinfection...) like laboratories and cleanrooms.

The products come with the for Trespa's products specific EB2 cured surface that gives the products a great performance in terms of durability and cleanability.



IN-HOUSE DEVELOPED TECHNOLOGY

Innovation has always been the cornerstone of Trespa's business strategy. Trespa's in-house developed technology allowed the company to be recognised as a leader in the field of high-quality panels for demanding interior environments.



PROVEN QUALITY FOR HIGH-DEMANDING APPLICATIONS



24 HOURS
CHEMICAL
RESISTANCE



DOES NOT
SUPPORT
BACTERIAL
GROWTH



SCRATCH
& WEAR
RESISTANCE



EASY
TO CLEAN



QUICK
INSTALLATION



SMOOTH
MACHINABILITY



SUITABLE
FOR CONTACT
WITH FOOD



IMPACT
RESISTANCE

60 YEARS OF GLOBAL EXPERIENCE

Thanks to 60 years of global experience and product innovation, Trespa is a leading innovator in the field of architectural materials and is recognised internationally as a premier developer of high-quality panels for scientific surface solutions. Trespa® TopLab® products can be found in numerous laboratory and cleanroom environments in pharmaceutical, chemical and industrial companies, as well as in hospitals, research centres and universities all over the globe.

TESTING AND CERTIFICATION

Trespa continues to invest in quality, innovation and sustainability. Trespa® TopLab®*VERTICAL* and TopLab®*PLUS* are manufactured with the latest generation of the in-house developed Electron Beam Curing technology and are tested and certified according to international standards.



10-YEAR WARRANTY

The homogeneous, closed surface of TopLab®*VERTICAL* and TopLab®*PLUS* has outstanding smoothness and chemical-impact- and scratch resistance, making it highly durable. That is why Trespa offers a 10-year conditional warranty on all specifications in the material datasheet. For technical information, please see Trespa.info.

BRANCH ASSOCIATIONS

Trespa is a long-standing member of the branch associations VIP3000 (Association for Cleanrooms and Pharmaceutical Construction), SEFA (Scientific Equipment and Furniture Association) and EGNATON (European Association of Sustainable Laboratory Technologies).



DESIGN FREEDOM

**WHO SAID CLEANROOMS AND
OTHER SCIENTIFIC ENVIRONMENTS
SHOULD BE WHITE OR NEUTRAL
COLOURED?**

**UNIQUE RANGE OF COLOURS FOR
ULTIMATE DESIGN FREEDOM**

TopLab^{VERTICAL} and TopLab^{PLUS} combine functional properties like high durability and easiness to clean with an attractive and timeless palette of inspiring colours. With more than 100 colour options for TopLab^{VERTICAL} and 9 for TopLab^{PLUS}, the TopLab® portfolio offers plenty of choice for those who want to create laboratories and cleanrooms that are not just functional but also pleasing to the eye: scientific environments with aesthetic qualities that can enhance the experience of employees and visitors.

SMOOTH MACHINABILITY

TopLab^{VERTICAL} and TopLab^{PLUS} are available in several versions, thicknesses and sizes. The panels have a homogeneous core and can be machined in the same way as high-quality hardwoods, making them easy to customise and install. Trespas® TopLab® panels are also available in large sizes, reducing seams to a minimum.

Inspirational
design
meets advanced
technology



GET INSPIRED BY TRESPA® TOPLAB®VERTICAL



IMAGE: TRESPA/SYRING

IDEAL FOR VERTICAL APPLICATIONS SUCH AS CLEANROOM FURNITURE, CABINETS, WALL LINING AND SPECIAL COVERING FOR MODULAR ELEMENTS.

- **RESISTANCE TO MOST AGGRESSIVE CHEMICALS AND CLEANING AGENTS**
- **DOES NOT SUPPORT BACTERIAL GROWTH**
- **AVAILABLE IN MORE THAN 100 COLOURS**
- **EASY TO MACHINE, CUSTOMISE AND INSTALL**

SURFACE	CORE	THICKNESSES				SIZES			GRADE		FINISHES				
		6 mm (≈ 1/4 inch)	8 mm (≈ 5/16 inch)	10 mm (≈ 3/8 inch)	13 mm (≈ 1/2 inch)	2550 x 1860 mm (≈ 100 x 73 inch)	3050 x 1530 mm (≈ 120 x 60 inch)	3650 x 1860 mm (≈ 143 x 73 inch)	Standard	Fire retardant	Satin	Mat	Rock	MatRock	
EBC technology	Black	•	•	•	•	•	•	•	•	•	<input type="checkbox"/>				

SINGLE SIDED DECORATIVE
Decorative side with non decorative black reverse.

DOUBLE SIDED DECORATIVE
Same colour for front and reverse side of the panel.

DUOCOLOUR
Different colour for front and reverse side of the panel.

NOTE Please be aware that not all product-finish combinations are possible. For available sheet sizes, thicknesses and finishes in your country, please check Trespa.info for the detailed and up to date delivery programme and material property datasheet. Alternatively you can use the product selector on Trespa.com (after choosing the country where the project is located).

Please consider that these images are only a digital representation of the actual product. For a real feel of the product, order a sample. Please be aware that samples are not available in all colour / finishes combinations. To see all technical information, please visit Trespa.info.

UNI COLOURS

COLOUR	CODE	NAME
	K03.0.0	White
	K03.1.0	Pastel Grey
	K03.4.0	Silver Grey
	K04.0.0	Cream White
	K04.0.1	Pearl Yellow
	K04.0.2	Pale Yellow
	K04.0.5	Zinc Yellow
	K04.1.7	Gold Yellow
	K05.0.0	Pure white
	K05.1.0	Papyrus White
	K05.1.1	Stone Beige
	K05.1.2	Champagne
	K05.1.4	Sun Yellow
	K05.5.0	Quartz Grey
	K06.3.5	Ochre
	K06.5.1	Toscana Greige
	K06.7.1	Natural Greige
	K07.1.1	Sand
	K08.2.1	Mid Beige
	K08.2.3	Salmon
	K08.3.1	Stone Grey
	K08.4.5	Rusty Red
	K08.8.1	Dark Brown
	K09.6.4	Mahogany Red
	K10.1.8	Red Orange
	K10.3.4	Terra Cotta
	K10.4.5	Sienna Brown
	K10.6.1	Taupe
	K11.4.4	English Red
	K11.8.0	Ceramic Greige
	K12.1.8	Passion Red
	K12.3.7	Carmine Red
	K12.4.5	East Red
	K12.6.3	Wine Red
	K14.7.2	Deep Red Brown
	K16.5.1	Mauve
	K17.3.5	Cyclam
	K18.0.1	Mystic White
	K19.7.1	Charcoal Grey
	K20.5.2	Lavender Blue
	K20.7.2	Dark Blue

	K21.1.0	Winter Grey
	K21.5.1	Mid Grey
	K21.5.4	Cobalt Blue
	K21.7.0	Steel Grey
	K22.1.6	Royal Blue
	K22.2.1	Bluish Grey
	K22.2.4	Powder Blue
	K22.3.1	Ocean Grey
	K22.4.4	Brilliant Blue
	K22.6.2	Dark Denim
	K23.0.4	Mineral Blue
	K24.4.1	Steel Blue
	K25.8.1	Anthracite Grey
	K26.5.4	Pacific
	K28.2.1	Aquamarine
	K28.6.2	Mid Green
	K30.3.2	Vedigris
	K32.2.1	Translucent Green
	K32.7.2	Dark Green
	K33.3.6	Brilliant Green
	K34.8.1	Forest Green
	K35.4.0	Cactus Green
	K36.3.5	Turf Green
	K37.0.8	Lime Green
	K37.2.3	Spring Green
	K41.0.6	Mojito Green
	K70.0.0	Slate Grey
	K90.0.0	Black

NATURALS

COLOUR	CODE	NAME
	KNA11	French Limestone
	KNA12	Natural Chalkstone
	KNA13	Silver Quartzite
	KNA14	Weathered Basalt
	KNA15	Indian Terra Cotta
	KNA16	Belgian Bluestone
	KNA17	Natural Graphite
	KNA18	Natural Slate
	KNA19	Italian Slate

WOOD DECORS

COLOUR	CODE	NAME
	KNW12	Elegant Oak
	KNW13	Harmony Oak
	KNW14	Pacific Board
	KNW15	Loft Brown
	KNW16	Montreux Amber
	KNW17	Montreux Sunglow
	KNW18	Italian Walnut
	KNW19	Wenge
	KNW22	English Cherry
	KNW23	Santos Palisander
	KNW24	Natural Bagenda
	KNW25	Country Wood
	KNW26	French Walnut
	KNW27	Milano Sabbia
	KNW28	Milano Terra
	KNW29	Milano Grigio
	KNW30	Light Mahogany
	KNW10	Dark Mahogany
	KNW04	Slate Wood
	KNW30	Nordic Black
	KNW09	Greyed Cedar
	KNW12	Hesbania
	KNW06	Core Ash
	KNW07	Denver Oak
	KNW08	Halmstad
	KNW18	Woodstone
	KNW19	Tropical Ipe

	KNM01	Rusted Brown
	KNM02	Forged Alloy
	KNM03	Corroded Green
	KNM04	Sintered Alloy
	KNM05	Hardened Brown
	KNM06	Tempered Grey
	KNM07	Casted Grey
	KNM08	Crafted White



The result is a closed surface with excellent smoothness, cleanability and chemical resistance.

GET INSPIRED BY TRESPA® TOPLAB®PLUS



IDEAL FOR WORKTOPS IN CLEANROOMS AND OTHER HIGH-DEMANDING ENVIRONMENTS.

- MEETS SEFA 3-2010 REQUIREMENTS
- RESISTANCE TO MOST AGGRESSIVE CHEMICALS AND CLEANING AGENTS
- DOES NOT SUPPORT BACTERIAL GROWTH
- SCRATCH, WEAR AND IMPACT RESISTANCE
- EASY TO MACHINE, CUSTOMISE AND INSTALL

UNI COLOURS

COLOUR	CODE	NAME
	T03.0.0	White
	T03.1.0	Pastel Grey
	T03.4.0	Silver Grey
	T05.0.0	Pure White
	T18.0.1	Mystic White
	T21.1.1	Glacier Blue
	T70.0.0	Slate Grey
	T90.0.0	Black

FANTASY & SPECKLES

COLOUR	CODE	NAME
	D02.1.0	Pastel Grey/Silver

SURFACE	CORE	THICKNESSES					SIZES		GRADE	FINISHES
EBC technology		13 mm (≈ 1/2 inch)	16 mm (≈ 5/8 inch)	19 mm (≈ 3/4 inch)	20 mm (≈ 3/4 inch)	25 mm (≈ 1 inch)	2550 x 1860 mm (≈ 100 x 73 inch)	3050 x 1530 mm (≈ 120 x 60 inch)	Standard	Crystal matt
•	Black	•	•	•	•	•	•	•	•	
	Grey	•	•	•	•	•	•	•	•	

*only available in colour Slate Grey T70.0.0

SINGLE SIDED DECORATIVE

Decorative side with non decorative black reverse.

DOUBLE SIDED DECORATIVE

Same colour for front and reverse side of the panel.

DUOCOLOUR

Different colour for front and reverse side of the panel.

SHAPE THE SCIENTIFIC WORLD

[TRESPA.COM/TOPLAB](https://trespa.com/toplab)

CONTACT US

TRESPA INTERNATIONAL B.V.

P.O. Box 110, 6000 AC Weert
Wetering 20, 6002 SM Weert
The Netherlands
www.trespa.com

EMEA

Tel: +31 (0) 495 458 344
Info.TopLab@Trespa.com

USA

Tel: +1-800-487-3772
Info.TopLab@Trespa.com

APAC

Tel: +86 (0)21 62881299
Info.TopLab@Trespa.com

VISIT US

TRESPA DESIGN CENTRE WEERT

Wetering 20
6002 SM Weert
The Netherlands
Tel: +31 (0) 495 458 845
TDC.Weert@Trespa.com
www.trespa.com/tdc

TRESPA DESIGN CENTRE BARCELONA

Calle Ribera 5,
08003 Barcelona
Spain
Tel: +34 (0) 93 295 4193
TDC.Barcelona@Trespa.com
www.trespa.com/tdc

TRESPA DESIGN CENTRE SANTIAGO

Eliodoro Yáñez 2831
Torre A - Local 1
Providencia, Santiago
Chile
Tel: +56 2 4069990
TDC.Santiago@Trespa.com
www.trespa.com/tdc

FOLLOW US



DISCLAIMER

GENERAL

These terms apply to the use of this document and such use automatically means that the other party agrees to these terms. The information provided by Trespa International B.V. ("Trespa") in this document is solely indicative. Trespa is unable to warrant the accuracy and completeness of this information. Trespa may change the information included in this document at any time and without further notice. Trespa's customers and third parties must ascertain that they have the most recent document (for the most recent version, please consult: www.trespa.com). No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility. Trespa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party. This document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. This document does not guarantee any properties of Trespa products. Colours used in Trespa's communications (including but not limited to printed matter) and in samples of Trespa's products may differ from the colours of the Trespa products to be supplied. Samples are not intended for use in product tests and are not representative of characteristics of the Trespa

products. Trespa's products and samples are produced within the specified colour tolerances and the colours (of production batches) may differ, even if the same colour is used. The viewing angle also influences the colour perception. Metallics panels feature a surface whose colour appears to change based on the direction from which it is viewed. The specified colour stability and colour specifications relate only to the decorative surface of the Trespa products, not to the core material and samples of the Trespa products. Trespa products are delivered ex-works with straight, sawn sides. Customers and third parties must have a professional adviser inform them about (the suitability of) the Trespa products for all desired applications and about applicable laws and regulations. Trespa does not warrant the above. The most recent version of the current delivery programme and the Material Properties Datasheet can be found at www.trespa.info. Only the information in the most recent and valid Material Properties Datasheet should be used to select and provide advice regarding Trespa products. Trespa reserves the right to change (the specifications for) its products without prior notice.

LIABILITY

Trespa is not liable (neither contractual nor non-contractual) for any damage arising from or

related to the use of this document, except if and to the extent that such damage is the result of wilful misconduct or gross negligence on the part of Trespa and/or its management. The limitation of liability applies to all parties affiliated with Trespa, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

GENERAL CONDITIONS

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Trespa are governed by the Trespa General Terms and Conditions of Sale (*Algemene verkoopvoorwaarden Trespa International B.V.*) filed with the Chamber of Commerce and Industry for Noord- en Midden-Limburg in Venlo (NL) on February 20th, 2015 under number 24270677, which can be found on and downloaded from the Trespa website, www.trespa.com/documentation. All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Trespa North America, Ltd. governed by the Trespa North America General Terms and Conditions of Sale, which can be found on and downloaded from the Trespa website, www.trespa.com/documentation. A copy of these general conditions of sale will be provided free of

charge on request. All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Trespa does not expressly object to such terms and conditions.

INTELLECTUAL PROPERTY

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Trespa and/or its licensors. Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Trespa's prior written consent is explicitly prohibited. * Trespa, Meteon, Athlon, TopLab, TopLab^{PLUS}, TopLab^{ECO-FIBRE}, TopLab^{VERTICAL}, TopLab^{BASE}, Virtuo, Izeon, Pura NFC, Volkern, Trespa Essentials and Mystic Metallics are registered trademarks of Trespa.

QUESTIONS

Should you have any questions or comments, please do not hesitate to contact Trespa.



U4707-432219 ■ VERSION 1.0
BROCHURE CODE U4707 ■ DATE 06-2020

VISIT TRESPA.COM FOR THE MOST UP TO DATE VERSION OF THIS DOCUMENT.

TRESPA®